

# Stable Isotope Products for Metabolomics



Metabolomics, or the study of biochemical processes involving metabolites, is a relatively new, yet increasingly growing field of research. The combination of stable isotopes and mass spectrometry is a powerful method to study the metabolome in both targeted and untargeted approaches. The mass difference of the isotope-labeled metabolite from the endogenous analyte allows for effective identification and quantification of metabolites in a given biological sample. This information is invaluable to understanding the physiology of an organism in both normal and disease states and/or its response to a drug, a change in its environment or other external stimuli.

**New Product!**

## Metabolomics Amino Acid Mix Standard Catalog No. MSK-A2-1.2

Each mix contains a solution of 17 isotope-labeled amino acids, each at 2.5 mmol/L concentration in 0.1 M HCl, with the exception of L-cystine, which is present at a concentration of 1.25 mmol/L. Available in 1.2 mL vials.

### Components

|   |
|---|
| L-Alanine ( $^{13}\text{C}_3$ , 99%; $^{15}\text{N}$ , 99%)                     |
| L-Arginine-HCl ( $^{13}\text{C}_6$ , 99%; $^{15}\text{N}_4$ , 99%)              |
| L-Aspartic acid ( $^{13}\text{C}_4$ , 99%; $^{15}\text{N}$ , 99%)               |
| L-Cystine ( $^{13}\text{C}_6$ , 99%; $^{15}\text{N}_2$ , 99%)                   |
| L-Glutamic acid ( $^{13}\text{C}_5$ , 99%; $^{15}\text{N}$ , 99%)               |
| Glycine ( $^{13}\text{C}_2$ , 99%; $^{15}\text{N}$ , 99%)                       |
| L-Histidine-HCl·H <sub>2</sub> O ( $^{13}\text{C}_6$ , $^{15}\text{N}_3$ , 99%) |
| L-Isoleucine ( $^{13}\text{C}_6$ , 99%; $^{15}\text{N}$ , 99%)                  |
| L-Leucine ( $^{13}\text{C}_6$ , 99%; $^{15}\text{N}$ , 99%)                     |
| L-Lysine·2HCl ( $^{13}\text{C}_6$ , 99%; $^{15}\text{N}_2$ , 99%)               |

### Components

|   |
|---|
| L-Methionine ( $^{13}\text{C}_5$ , 99%; $^{15}\text{N}$ , 99%)    |
| L-Phenylalanine ( $^{13}\text{C}_9$ , 99%; $^{15}\text{N}$ , 99%) |
| L-Proline ( $^{13}\text{C}_5$ , 99%; $^{15}\text{N}$ , 99%)       |
| L-Serine ( $^{13}\text{C}_3$ , 99%; $^{15}\text{N}$ , 99%)        |
| L-Threonine ( $^{13}\text{C}_4$ , 99%; $^{15}\text{N}$ , 99%)     |
| L-Tyrosine ( $^{13}\text{C}_9$ , 99%; $^{15}\text{N}$ , 99%)      |
| L-Valine ( $^{13}\text{C}_5$ , 99%; $^{15}\text{N}$ , 99%)        |

### Unlabeled set also available

Other standard mixes coming soon! Please inquire.

(continued)

## Amino Acids

| Catalog No. | Description  |
|-------------|--|
| NSK-A       | Labeled Amino Acids Standard Set A   |
| CLM-8906    | S-Adenosyl-L-homocysteine (adenosine- <sup>13</sup> C <sub>10</sub> , 98%)                   |
| DLM-7476    | ADMA·HCl·H <sub>2</sub> O (asymmetric dimethylarginine) (2,3,3,4,4,5,5-D <sub>7</sub> , 98%) |
| CLM-116     | L-Alanine (1- <sup>13</sup> C, 99%)  |
| CLM-2016    | L-Alanine (2- <sup>13</sup> C, 99%)  |
| CLM-117     | L-Alanine (3- <sup>13</sup> C, 99%)  |
| CLM-2734    | L-Alanine (2,3- <sup>13</sup> C <sub>2</sub> , 99%)  |
| CLM-2184-H  | L-Alanine ( <sup>13</sup> C <sub>3</sub> , 99%)  |
| DLM-250     | L-Alanine (2,3,3,3-D <sub>4</sub> , 98%)   |
| NLM-454     | L-Alanine ( <sup>15</sup> N, 98%)  |
| CNLM-534-H  | L-Alanine ( <sup>13</sup> C <sub>3</sub> , 99%; <sup>15</sup> N, 99%)                        |
| CLM-8755    | β-Alanine (3- <sup>13</sup> C, 99%)  |
| CLM-8756    | β-Alanine ( <sup>13</sup> C <sub>3</sub> , 99%)  |
| CLM-2070    | L-Arginine·HCl (guanido- <sup>13</sup> C, 99%)   |
| CLM-2051    | L-Arginine·HCl (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                                     |
| CLM-2265-H  | L-Arginine·HCl ( <sup>13</sup> C <sub>6</sub> , 99%)   |
| NLM-396     | L-Arginine·HCl ( <sup>15</sup> N <sub>4</sub> , 98%)   |
| CNLM-539-H  | L-Arginine·HCl ( <sup>13</sup> C <sub>6</sub> , 99%; <sup>15</sup> N <sub>4</sub> , 99%)     |
| CLM-8699-H  | L-Asparagine·H <sub>2</sub> O ( <sup>13</sup> C <sub>4</sub> , 99%)                          |
| DLM-6844    | L-Asparagine·H <sub>2</sub> O (2,3,3-D <sub>3</sub> , 94%)                                   |
| NLM-2293    | L-Asparagine (α- <sup>15</sup> N, 99%)   |
| NLM-3286    | L-Asparagine·H <sub>2</sub> O ( <sup>15</sup> N <sub>2</sub> , 98%)                          |
| CLM-518     | DL-Aspartic acid (4- <sup>13</sup> C, 99%)   |
| CLM-4455    | L-Aspartic acid (1,4- <sup>13</sup> C <sub>2</sub> , 99%)                                    |
| DLM-546     | L-Aspartic acid (2,3,3-D <sub>3</sub> , 97-98%)  |
| NLM-718     | L-Aspartic acid ( <sup>15</sup> N, 98%)  |
| DLM-407     | Betaine (D <sub>11</sub> , 98%)  |
| CLM-4899    | L-Citrulline (ureido- <sup>13</sup> C, 99%)  |
| CLM-898     | DL-Cysteine (3- <sup>13</sup> C, 99%)  |
| CLM-3852    | L-Cysteine (1- <sup>13</sup> C, 99%)   |
| CLM-1868    | L-Cysteine (3- <sup>13</sup> C, 99%)   |
| NLM-2295    | L-Cysteine ( <sup>15</sup> N, 98%)   |
| CLM-520     | L-Cystine (3,3'- <sup>13</sup> C <sub>2</sub> , 99%)   |
| CLM-3721    | DL-Glutamic acid·H <sub>2</sub> O (1- <sup>13</sup> C, 99%)                                  |
| CLM-3632    | DL-Glutamic acid (3- <sup>13</sup> C, 99%)   |
| CLM-674     | L-Glutamic acid (1- <sup>13</sup> C, 99%)  |
| CLM-4742    | L-Glutamic acid (3- <sup>13</sup> C, 99%)  |
| CLM-613     | L-Glutamic acid (5- <sup>13</sup> C, 99%)  |
| CLM-2024    | L-Glutamic acid (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                                    |
| CLM-3646    | L-Glutamic acid (3,4- <sup>13</sup> C <sub>2</sub> , 99%)                                    |
| CLM-1800-H  | L-Glutamic acid ( <sup>13</sup> C <sub>5</sub> , 99%)  |
| DLM-3725    | L-Glutamic acid (2,4,4-D <sub>3</sub> , 97-98%)  |
| DLM-556     | L-Glutamic acid (2,3,3,4,4-D <sub>5</sub> , 97-98%)  |
| NLM-135     | L-Glutamic acid ( <sup>15</sup> N, 98%)  |
| CLM-3612    | L-Glutamine (1- <sup>13</sup> C, 99%)  |
| CLM-1166    | L-Glutamine (5- <sup>13</sup> C, 99%)  |
| CLM-2001    | L-Glutamine (1,2- <sup>13</sup> C <sub>2</sub> , 99%)  |
| CLM-1822-H  | L-Glutamine ( <sup>13</sup> C <sub>5</sub> , 99%)  |
| DLM-1826    | L-Glutamine (2,3,3,4,4-D <sub>5</sub> , 97%)   |
| NLM-1016    | L-Glutamine (α- <sup>15</sup> N, 98%)  |
| NLM-557     | L-Glutamine (amide- <sup>15</sup> N, 98%)  |
| NLM-1328    | L-Glutamine ( <sup>15</sup> N <sub>2</sub> , 98%)  |
| CLM-422     | Glycine (1- <sup>13</sup> C, 99%)  |
| CLM-136     | Glycine (2- <sup>13</sup> C, 99%)  |
| CLM-1017    | Glycine ( <sup>13</sup> C <sub>2</sub> , 97-99%)   |
| NLM-202     | Glycine ( <sup>15</sup> N, 98%)  |

| Catalog No. | Description   |
|-------------|---|
| CLM-4793    | L-Histidine (carbonyl- <sup>13</sup> C, 99%)  |
| CLM-1512    | L-Histidine·HCl·H <sub>2</sub> O (<5% D) (ring-2- <sup>13</sup> C, 99%)                 |
| CLM-2264    | L-Histidine·HCl·H <sub>2</sub> O (<5% D) ( <sup>13</sup> C <sub>6</sub> , 97-99%)       |
| DLM-8691    | π-methyl-L-Histidine (methyl-D <sub>3</sub> , 98%)                                      |
| DLM-2949    | τ-methyl-L-Histidine (methyl-D <sub>3</sub> , 98%)                                      |
| DLM-8259    | DL-Homocysteine (3,3,4,4-D <sub>4</sub> , 98%)  |
| NLM-2466    | L-Homoserine ( <sup>15</sup> N, 95-99%)   |
| CLM-1026    | L-Isoleucine (1- <sup>13</sup> C, 99%)  |
| CLM-2248-H  | L-Isoleucine ( <sup>13</sup> C <sub>6</sub> , 99%)                                      |
| CLM-468     | L-Leucine (1- <sup>13</sup> C, 99%)   |
| CLM-2014    | L-Leucine (2- <sup>13</sup> C, 99%)   |
| CLM-3524    | L-Leucine (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                                     |
| CLM-2262-H  | L-Leucine ( <sup>13</sup> C <sub>6</sub> , 99%)   |
| NLM-142     | L-Leucine ( <sup>15</sup> N, 98%)   |
| CLM-749     | DL-Lysine·2HCl (1- <sup>13</sup> C, 99%)  |
| CLM-653     | L-Lysine·2HCl (1- <sup>13</sup> C, 99%)   |
| CLM-632     | L-Lysine·2HCl (6- <sup>13</sup> C, 99%)   |
| CLM-2247-H  | L-Lysine·2HCl ( <sup>13</sup> C <sub>6</sub> , 99%)                                     |
| DLM-2640    | L-Lysine·2HCl (4,4,5,5-D <sub>4</sub> , 96-98%)   |
| NLM-1554    | L-Lysine·2HCl ( <sup>15</sup> N <sub>2</sub> , 98%+)                                    |
| CNLM-7821   | L-Lysine·2HCl (1- <sup>13</sup> C, 99%; α- <sup>15</sup> N, 98%)                        |
| CNLM-291-H  | L-Lysine·2HCl ( <sup>13</sup> C <sub>6</sub> , 99%; <sup>15</sup> N <sub>2</sub> , 99%) |
| CLM-7356    | D-Methionine (1- <sup>13</sup> C, 99%)  |
| CLM-206     | L-Methionine (methyl- <sup>13</sup> C, 99%)   |
| CLM-3267    | L-Methionine (1- <sup>13</sup> C, 99%)  |
| CLM-893-H   | L-Methionine ( <sup>13</sup> C <sub>5</sub> , 99%)                                      |
| NLM-752     | L-Methionine ( <sup>15</sup> N, 96-98%)   |
| CLM-2176    | DL-Ornithine·HCl (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                              |
| CLM-3588    | L-Ornithine·HCl (1- <sup>13</sup> C, 99%)   |
| CLM-1036    | L-Ornithine·HCl (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                               |
| CLM-4724-H  | L-Ornithine·HCl ( <sup>13</sup> C <sub>5</sub> , 99%)                                   |
| NLM-3610    | L-Ornithine·HCl ( <sup>15</sup> N <sub>2</sub> , 98%)                                   |
| CLM-3268    | DL-Phenylalanine (3- <sup>13</sup> C, 99%)  |
| CLM-762     | L-Phenylalanine (1- <sup>13</sup> C, 99%)   |
| CLM-1631    | L-Phenylalanine (2- <sup>13</sup> C, 99%) CP 97%  |
| CLM-1053    | L-Phenylalanine (3- <sup>13</sup> C, 99%)   |
| CLM-1055    | L-Phenylalanine (ring- <sup>13</sup> C <sub>6</sub> , 99%)                              |
| CLM-2250-H  | L-Phenylalanine ( <sup>13</sup> C <sub>9</sub> , 99%)                                   |
| DLM-372     | L-Phenylalanine (D <sub>8</sub> , 98%)  |
| NLM-108     | L-Phenylalanine ( <sup>15</sup> N, 98%)   |
| CLM-2479    | DL-Proline (1- <sup>13</sup> C, 99%)  |
| CLM-510     | L-Proline (1- <sup>13</sup> C, 99%)   |
| CLM-2260-H  | L-Proline ( <sup>13</sup> C <sub>5</sub> , 99%)   |
| NLM-835     | L-Proline ( <sup>15</sup> N, 98%)   |
| CLM-496     | DL-Serine (2- <sup>13</sup> C, 99%)   |
| CLM-497     | DL-Serine (3- <sup>13</sup> C, 99%)   |
| CLM-1573    | L-Serine (1- <sup>13</sup> C, 99%)  |
| CLM-2013    | L-Serine (2- <sup>13</sup> C, 99%)  |
| CLM-1572    | L-Serine (3- <sup>13</sup> C, 99%)  |
| CLM-1574-H  | L-Serine ( <sup>13</sup> C <sub>3</sub> , 99%)  |
| DLM-582     | L-Serine (2,3,3-D <sub>3</sub> , 98%)   |
| NLM-2036    | L-Serine ( <sup>15</sup> N, 98%)  |
| CLM-447     | L-Threonine (1- <sup>13</sup> C, 99%)   |
| CLM-2261    | L-Threonine ( <sup>13</sup> C <sub>4</sub> , 97-99%)                                    |
| NLM-742     | L-Threonine ( <sup>15</sup> N, 98%)   |
| CNLM-587    | L-Threonine ( <sup>13</sup> C <sub>4</sub> , 97-99%; <sup>15</sup> N, 97-99%)           |
| CLM-778     | L-Tryptophan (1- <sup>13</sup> C, 99%)  |

| Catalog No. | Description  |
|-------------|--|
| CLM-1543    | L-Tryptophan (indole-2- <sup>13</sup> C, 98%)                  |
| CLM-716     | L-Tryptophan (indole-3- <sup>13</sup> C, 95-99%)               |
| CLM-1301    | L-Tryptophan (ring- <sup>13</sup> C <sub>6</sub> , 99%)        |
| CLM-4290-H  | L-Tryptophan ( <sup>13</sup> C <sub>11</sub> , 99%)            |
| DLM-1092    | L-Tryptophan (indole-D <sub>5</sub> , 98%)                     |
| NLM-800     | L-Tryptophan ( <sup>15</sup> N <sub>2</sub> , 98%)             |
| CLM-448     | DL-Tyrosine (1- <sup>13</sup> C, 99%)                          |
| CLM-776     | L-Tyrosine (1- <sup>13</sup> C, 99%)                           |
| CLM-437     | L-Tyrosine (2- <sup>13</sup> C, 99%)                           |
| CLM-3378    | L-Tyrosine (3- <sup>13</sup> C, 99%)                           |
| CLM-622     | L-Tyrosine (phenol-4- <sup>13</sup> C, 95-99%)                 |
| CLM-623     | L-Tyrosine (phenol-3,5- <sup>13</sup> C <sub>2</sub> , 95-99%) |
| CLM-1542    | L-Tyrosine (ring- <sup>13</sup> C <sub>6</sub> , 99%)          |
| CLM-2263-H  | L-Tyrosine ( <sup>13</sup> C <sub>6</sub> , 99%)               |
| NLM-590     | L-Tyrosine ( <sup>15</sup> N, 98%)                             |
| CLM-166     | DL-Valine (1- <sup>13</sup> C, 99%)                            |
| CLM-3277    | DL-Valine (2- <sup>13</sup> C, 99%)                            |
| CLM-470     | L-Valine (1- <sup>13</sup> C, 99%)                             |
| CLM-3050    | L-Valine (2- <sup>13</sup> C, 99%)                             |
| CLM-2249-H  | L-Valine ( <sup>13</sup> C <sub>5</sub> , 99%)                 |
| DLM-488     | L-Valine (D <sub>5</sub> , 98%)                                |
| NLM-316     | L-Valine ( <sup>15</sup> N, 98%)                               |

## Bile Acids

| Catalog No. | Description  |
|-------------|--|
| CLM-2709    | Chenodeoxycholic acid (24- <sup>13</sup> C, 99%)                                 |
| DLM-2807    | Chenodeoxycholic acid (11,12-D <sub>2</sub> , 94%)                               |
| DLM-6780    | Chenodeoxycholic acid (2,2,4,4-D <sub>4</sub> , 98%)                             |
| DLM-9327    | Chenodeoxycholic acid (2,2,3,4,4-D <sub>5</sub> , 98%)                           |
| DLM-9541    | Chenodeoxycholic acid (2,2,3,4,4,6,7,8-D <sub>8</sub> , 98%)                     |
| CLM-2710    | Cholic acid (24- <sup>13</sup> C, 99%)   |
| DLM-9544    | Cholic acid (2,2,4,4-D <sub>4</sub> , 98%)                                       |
| CLM-3364    | Deoxycholic acid (24- <sup>13</sup> C, 99%)                                      |
| DLM-9547    | Deoxycholic acid (2,2,4,4-D <sub>4</sub> , 98%)                                  |
| DLM-9546    | Deoxycholic acid (2,2,4,4,11,11-D <sub>6</sub> , 98%)                            |
| DLM-9549    | Glycochenodeoxycholic acid (2,2,4,4-D <sub>4</sub> , 98%)                        |
| DLM-9550    | Glycochenodeoxycholic acid (2,2,3,4,4,6,7,8-D <sub>8</sub> , 98%)                |
| CLM-191     | Glycocholic acid (glycine-1- <sup>13</sup> C, 99%)                               |
| CLM-405     | Glycocholic acid (glycine-1,2- <sup>13</sup> C <sub>2</sub> , 90%)               |
| DLM-9554    | Glycodeoxycholic acid (2,2,4,4-D <sub>4</sub> , 98%)                             |
| DLM-9553    | Glycodeoxycholic acid (2,2,4,4,11,11-D <sub>6</sub> , 98%)                       |
| DLM-9556    | Glycolithocholic acid (2,2,4,4-D <sub>4</sub> , 98%)                             |
| DLM-9558    | Glycoursodeoxycholic acid (2,2,4,4-D <sub>4</sub> , 98%)                         |
| DLM-9560    | Lithocholic acid (2,2,4,4-D <sub>4</sub> , 98%)                                  |
| DLM-9562    | Taurochenodeoxycholic acid, sodium salt (2,2,4,4-D <sub>4</sub> , 98%)           |
| DLM-9563    | Taurochenodeoxycholic acid, sodium salt (2,2,3,4,4,6,6,7,8-D <sub>8</sub> , 98%) |
| DLM-9565    | Taurocholic acid, sodium salt (2,2,4,4-D <sub>4</sub> , 98%)                     |
| DLM-9568    | Taurodeoxycholic acid, sodium salt (2,2,4,4-D <sub>4</sub> , 98%)                |
| DLM-9567    | Taurodeoxycholic acid, sodium salt (2,2,4,4,11,11-D <sub>6</sub> , 98%)          |
| DLM-9570    | Taurolithocholic acid, sodium salt (2,2,4,4-D <sub>4</sub> , 98%)                |
| DLM-9572    | Tauroursodeoxycholic acid, sodium salt (2,2,4,4-D <sub>4</sub> , 98%)            |
| DLM-9574    | Ursodeoxycholic acid (2,2,4,4-D <sub>4</sub> , 98%)                              |

## Carbohydrates

| Catalog No. | Description  |
|-------------|--|
| CLM-715     | D-Arabinose (1- <sup>13</sup> C, 99%)  |
| CLM-1288    | D-Arabinose (2- <sup>13</sup> C, 98%)  |
| CLM-1824    | 2-Deoxy-D-Glucose (1- <sup>13</sup> C, 99%)  |
| CLM-2122    | 2-Deoxy-D-Glucose (6- <sup>13</sup> C, 99%)  |
| CLM-1201    | D-Fructose (1- <sup>13</sup> C, 99%)   |
| CLM-1527    | D-Fructose (2- <sup>13</sup> C, 99%)   |
| CLM-1553    | D-Fructose (U- <sup>13</sup> C <sub>6</sub> , 99%)                                       |
| CLM-744     | D-Galactose (1- <sup>13</sup> C, 99%)  |
| CLM-1570    | D-Galactose (U- <sup>13</sup> C <sub>6</sub> , 99%)                                      |
| CLM-420     | D-Glucose (1- <sup>13</sup> C, 98-99%)   |
| CLM-746     | D-Glucose (2- <sup>13</sup> C, 99%)  |
| CLM-1393    | D-Glucose (3- <sup>13</sup> C, 99%)  |
| CLM-1394    | D-Glucose (4- <sup>13</sup> C, 99%)  |
| CLM-1395    | D-Glucose (5- <sup>13</sup> C, 98%)  |
| CLM-481     | D-Glucose (6- <sup>13</sup> C, 99%)  |
| CLM-504     | D-Glucose (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                                      |
| CLM-8942    | D-Glucose (2,3- <sup>13</sup> C <sub>2</sub> , 99%)                                      |
| CLM-6750    | D-Glucose (3,4- <sup>13</sup> C <sub>2</sub> , 99%)                                      |
| CLM-2717    | D-Glucose (1- <sup>13</sup> C, 99%; 6- <sup>13</sup> C, 97%+)                            |
| CLM-8770    | D-Glucose (4,5,6- <sup>13</sup> C <sub>3</sub> , 98%)                                    |
| CLM-1396    | D-Glucose (U- <sup>13</sup> C <sub>6</sub> , 99%)  |
| DLM-1150    | D-Glucose (1-D, 98%)   |
| DLM-1271    | D-Glucose (2-D, 98%)   |
| DLM-349     | D-Glucose (6,6-D <sub>2</sub> , 99%)   |
| DLM-2062    | D-Glucose (1,2,3,4,5,6,6-D <sub>7</sub> , 98%)   |
| CDLM-3813   | D-Glucose (U- <sup>13</sup> C <sub>6</sub> , 99%; 1,2,3,4,5,6,6-D <sub>7</sub> , 97-98%) |
| DLM-2725    | <i>myo</i> -Inositol (1,2,3,4,5,6-D <sub>6</sub> , 98%)                                  |
| CLM-2642    | D-Maltose-H <sub>2</sub> O (U- <sup>13</sup> C <sub>12</sub> , 99%)                      |

**“Although label-free metabolomics provides a snapshot of small-molecule concentrations within a biological system, metabolism is dynamic and challenging to analyze with only static measurements. A snapshot of metabolite concentrations is insufficient for reconstructing pathway connectivities, for interrogating metabolic regulation and ultimately for understanding biochemical mechanism. Stable isotopes are a powerful tool for temporal studies and offer a solution to these challenges. With mass spectrometry and NMR, pathway fluxes can be determined by measuring the kinetics of isotope incorporation in downstream products and/or the structural patterns in which the isotopes appear within the molecule. Using untargeted mass spectrometry-based technologies, it is also now possible to introduce a stable isotope into a biological system and track its metabolism without bias to discover novel biochemical transformations. Together, these isotope-based metabolomic approaches are transforming our canonical picture of metabolism by providing flux information and by revealing new metabolic connectivities that had not been previously recognized.”**

– Gary Patti, PhD  
 Assistant Professor, Department of Chemistry  
 Department of Genetics, Department of Medicine  
 Washington University in St. Louis  
 St. Louis, MO USA

(continued)

## Carbohydrates (continued)

| Catalog No. | Description   |
|-------------|---|
| CLM-1189    | D-Mannitol (1- <sup>13</sup> C, 98%)                              |
| CLM-358     | D-Mannose (1- <sup>13</sup> C, 99%)                               |
| CLM-768     | D-Ribose (1- <sup>13</sup> C, 99%)                                |
| CLM-1069    | D-Ribose (2- <sup>13</sup> C, 99%)                                |
| CLM-1066    | D-Ribose (5- <sup>13</sup> C, 99%)                                |
| CLM-3652    | D-Ribose (U- <sup>13</sup> C <sub>5</sub> , 98%)                  |
| CLM-1565    | D-Sorbitol (1- <sup>13</sup> C, 99%) (monohydrate or semihydrate) |
| CLM-8529    | D-Sorbitol (U- <sup>13</sup> C <sub>6</sub> , 98%+)               |
| CLM-1140    | D-Xylose (1- <sup>13</sup> C, 99%)                                |
| CLM-1524    | D-Xylose (2- <sup>13</sup> C, 99%)                                |
| CLM-8593    | D-Xylose (3- <sup>13</sup> C, 99%)                                |
| CLM-9083    | D-Xylose (4- <sup>13</sup> C, 99%)                                |
| CLM-1219    | D-Xylose (5- <sup>13</sup> C, 99%)                                |
| CLM-2456    | D-Xylose (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                |
| CLM-6140    | D-Xylose (U- <sup>13</sup> C <sub>5</sub> , 99%)                  |

## Carnitines

| Catalog No. | Description  |
|-------------|--|
| NSK-B       | Labeled Carnitine Standards Set B                                    |
| NSK-AB      | Labeled Standards Sets A & B   |
| NSK-B-G     | Labeled Carnitine Standards (supplement to NSK-B)                    |
| NSK-T       | Labeled Succinylacetone Standard-1 (Set T)                           |
| DLM-3555    | L-Carnitine (trimethyl-D <sub>9</sub> , 98%)                         |
| DLM-3821    | L-Carnitine-HCl, O-acetyl (N,N-dimethyl-D <sub>6</sub> , 98%) CP 97% |
| DLM-1263    | L-Carnitine-HCl, O-palmitoyl (N-methyl-D <sub>3</sub> , 98%)         |
| DLM-3973    | L-Carnitine-HCl, O-propionyl (N-methyl-D <sub>3</sub> , 98%)         |
| DLM-755     | L-Carnitine-HCl, O-octanoyl (N-methyl-D <sub>3</sub> , 98%)          |

## Caffeine and Metabolites

| Catalog No. | Description  |
|-------------|--|
| CLM-728     | Caffeine (3-methyl- <sup>13</sup> C, 99%)  |
| CLM-514     | Caffeine (trimethyl- <sup>13</sup> C <sub>3</sub> , 99%)   |
| NLM-332     | Caffeine (1,3- <sup>15</sup> N <sub>2</sub> , 99%)   |
| CNLM-333    | Caffeine (1,3- <sup>15</sup> N <sub>2</sub> , 98%+)  |
| CNLM-9241   | 1,3-Dimethyluric acid ( <sup>13</sup> C <sub>4</sub> , 99%; <sup>15</sup> N <sub>3</sub> , 98%)                              |
| CNLM-9242   | 1,7-Dimethyluric acid ( <sup>13</sup> C <sub>4</sub> , 99%; <sup>15</sup> N <sub>3</sub> , 98%)                              |
| CNLM-9243   | 1,7-Dimethylxanthine (paraxanthine) (2,4,5,6- <sup>13</sup> C <sub>4</sub> , 99%; 1,3,9- <sup>15</sup> N <sub>3</sub> , 98%) |
| DLM-8565    | Theobromine (dimethyl-D <sub>6</sub> , 98%)  |
| CLM-6154    | Theophylline (dimethyl- <sup>13</sup> C <sub>2</sub> , 99%)  |
| NLM-160     | Theophylline (1,3- <sup>15</sup> N <sub>2</sub> , 98%+)  |
| CNLM-444    | Theophylline (2- <sup>13</sup> C, 99%; 1,3- <sup>15</sup> N <sub>2</sub> , 98%+)   |
| NLM-1697    | Uric acid (1,3- <sup>15</sup> N <sub>2</sub> , 98%)  |

## Drugs and Drug Metabolites

| Catalog No. | Description  |
|-------------|--|
| CLM-2436    | Acetaminophen (carbonyl- <sup>13</sup> C, 99%)   |
| CLM-630     | Aminopyrine (N,N-dimethyl- <sup>13</sup> C <sub>2</sub> , 99%)                           |
| CLM-6585    | Aspirin (acetyl-1- <sup>13</sup> C, 99%)   |
| CLM-3655    | AZT (methyl- <sup>13</sup> C, 99%) CP 96%  |
| CLM-3672    | Erythromycin (90-95% Erythromycin A) (N,N-dimethyl- <sup>13</sup> C <sub>2</sub> , ~90%) |
| CLM-165     | Erythromycin lactobionate salt (N-methyl- <sup>13</sup> C, 99%)                          |
| CLM-3758    | Erythromycin lactobionate salt (N,N-dimethyl- <sup>13</sup> C <sub>2</sub> , ~90%)       |
| CLM-6943    | Ibuprofen (propionic- <sup>13</sup> C <sub>3</sub> , 99%)                                |
| CLM-7118    | Ketoconazole (carbonyl- <sup>13</sup> C, 99%)  |
| CLM-1280    | Methacetin (methoxy- <sup>13</sup> C, 99%)   |
| CLM-7522    | Naproxen, sodium salt (O-methyl- <sup>13</sup> C, 98%)                                   |
| CLM-3914    | DL-Nicotine (3',4',5'- <sup>13</sup> C <sub>3</sub> , 99%)                               |
| CLM-4892    | DL-Nornicotine (3',4',5'- <sup>13</sup> C <sub>3</sub> , 99%)                            |
| CLM-1296    | Phenacetin (ethoxy-1- <sup>13</sup> C, 99%)  |
| CLM-3045    | Sulfamethazine (phenyl- <sup>13</sup> C <sub>6</sub> , 99%)                              |
| CLM-7119    | Temozolomide (methyl- <sup>13</sup> C, 99%)  |
| CLM-7491    | cis-(+/-)-Tramadol-HCl (methoxy- <sup>13</sup> C, 99%)                                   |
| CLM-7988    | Trimethoprim (pyrimidine-4,5,6- <sup>13</sup> C <sub>3</sub> , 99%)                      |

## Fatty Acids and Lipids

| Catalog No. | Description   |
|-------------|---|
| CLM-1239    | Arachidic acid (eicosanoic acid) (1- <sup>13</sup> C, 99%)                  |
| CLM-8274    | Ethyl hexanoate (hexanoate- <sup>13</sup> C <sub>6</sub> , 99%)             |
| CLM-1397    | Glycerol (2- <sup>13</sup> C, 99%)  |
| CLM-1857    | Glycerol (1,3- <sup>13</sup> C <sub>2</sub> , 99%)                          |
| CLM-1510    | Glycerol ( <sup>13</sup> C <sub>3</sub> , 99%)                              |
| CLM-3519    | Hexanoic acid (1- <sup>13</sup> C, 99%)                                     |
| CLM-1586    | Lauric acid (1- <sup>13</sup> C, 99%)                                       |
| CLM-1844    | Myristic acid (1- <sup>13</sup> C, 99%)                                     |
| CLM-3665    | Myristic acid (1,2,3- <sup>13</sup> C <sub>3</sub> , 99%)                   |
| CLM-293     | Octanoic acid (1- <sup>13</sup> C, 99%)                                     |
| CLM-3827    | Octanoic acid (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                     |
| CLM-2721    | Octanoic acid (1,2,3,4- <sup>13</sup> C <sub>4</sub> , 99%)                 |
| CLM-3981    | Octanoic acid ( <sup>13</sup> C <sub>8</sub> , 99%)                         |
| DLM-619     | Octanoic acid (D <sub>15</sub> , 98%)                                       |
| CLM-3707    | 2-Octanoyl-1,3-distearin (octanoic-1- <sup>13</sup> C, 99%)                 |
| CLM-4258    | 2-Octanoyl-1,3-distearin (octanoyl-1,2- <sup>13</sup> C <sub>2</sub> , 99%) |
| CLM-2492    | Oleic acid (methyl- <sup>13</sup> C, 99%)                                   |
| CLM-149     | Oleic acid (1- <sup>13</sup> C, 99%)  |
| CLM-460     | Oleic acid (U- <sup>13</sup> C <sub>18</sub> , 98%) CP 95%                  |
| CLM-150     | Palmitic acid (1- <sup>13</sup> C, 99%)                                     |
| CLM-2120    | Palmitic acid (2- <sup>13</sup> C, 99%)                                     |
| CLM-214     | Palmitic acid (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                     |
| CLM-7896    | Palmitic acid (1,2,3,4- <sup>13</sup> C <sub>4</sub> , 99%)                 |
| CLM-409     | Palmitic acid (U- <sup>13</sup> C <sub>16</sub> , 98%)                      |
| CLM-3876    | Sodium octanoate (1,2,3,4- <sup>13</sup> C <sub>4</sub> , 99%)              |
| CLM-490     | Stearic acid (methyl- <sup>13</sup> C, 99%)                                 |
| CLM-676     | Stearic acid (1- <sup>13</sup> C, 99%)                                      |
| CLM-6990    | Stearic acid (U- <sup>13</sup> C <sub>18</sub> , 98%) CP 97%                |
| DLM-379     | Stearic acid (D <sub>35</sub> , 98%)  |
| CLM-8731    | Stearic acid, ethyl ester (stearate- <sup>13</sup> C <sub>18</sub> , 98%+)  |
| DLM-7311    | Stearoyl coenzyme A (stearoyl-methyl-D <sub>3</sub> , 98%) CP 90%           |

## Hormones and Neurotransmitters

| Catalog No. | Description  |
|-------------|--|
| CLM-548     | Choline chloride (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                     |
| DLM-549     | Choline chloride (trimethyl-D <sub>3</sub> , 98%)                              |
| CLM-7401    | L-Dopa (1- <sup>13</sup> C, 99%)   |
| CLM-3723    | L-Dopa (alkyl-2,3- <sup>13</sup> C <sub>2</sub> , 98%)                         |
| CLM-1007    | L-Dopa (ring- <sup>13</sup> C <sub>6</sub> , 99%)                              |
| CLM-3368    | Dopamine-HCl (1- <sup>13</sup> C, 99%)   |
| CLM-3369    | Dopamine-HCl (ring- <sup>13</sup> C <sub>6</sub> , 99%)                        |
| DLM-2181    | Dopamine-HCl (ring-D <sub>3</sub> , 98%)                                       |
| DLM-2498    | Dopamine-HCl (1,1,2,2-D <sub>4</sub> , 97-98%)                                 |
| DLM-2866    | DL-Epinephrine (α,α,β-D <sub>3</sub> , 97%)                                    |
| CNLM-7889   | DL-Epinephrine (1,2- <sup>13</sup> C <sub>2</sub> , 99%; <sup>15</sup> N, 98%) |
| DLM-2911    | Histamine-2HCl (α,α,β,β-D <sub>4</sub> , 98%)                                  |
| DLM-2950    | N-τ-methylhistamine-2HCl (N-methyl-D <sub>3</sub> , 98%)                       |
| CLM-6725    | L-Thyroxine (tyrosine-ring- <sup>13</sup> C <sub>6</sub> , 99%) CP 90%         |
| CLM-8931    | L-Thyroxine (ring- <sup>13</sup> C <sub>12</sub> , 99%) CP 97%                 |

## Nucleotides, Nucleosides and Nucleobases

| Catalog No.  | Description   |
|--------------|---|
| CNLM-9240    | 5-Acetylaminio-6-amino-3-methyluracil (AAMU) ( <sup>13</sup> C <sub>4</sub> , 99%; <sup>15</sup> N <sub>3</sub> , 98%)  |
| NLM-6924     | Adenine-HCl ( <sup>15</sup> N <sub>5</sub> , 98%)   |
| CLM-3678     | Adenosine (ribose- <sup>13</sup> C <sub>5</sub> , 98%+) CP 97%  |
| CNLM-3806-CA | Adenosine ( <sup>13</sup> C <sub>10</sub> , 98%; <sup>15</sup> N <sub>5</sub> , 96-98%)                                 |
| CNLM-4265-CA | Adenosine 5'-triphosphate, ammonium salt ( <sup>13</sup> C; <sup>15</sup> N, 98-99%) CP >90% (in solution)              |
| NLM-3797     | Cytidine ( <sup>15</sup> N <sub>3</sub> , 96-98%)   |
| CNLM-3807    | Cytidine ( <sup>13</sup> C <sub>9</sub> , 98%; <sup>15</sup> N <sub>3</sub> , 96-98%)                                   |
| CNLM-4267-CA | Cytidine 5'-triphosphate, ammonium salt ( <sup>13</sup> C; <sup>15</sup> N, 96-98%) CP >90% (in solution)               |
| CNLM-6219-CA | 2'-Deoxyadenosine 5'-triphosphate ( <sup>13</sup> C <sub>10</sub> , 98%; <sup>15</sup> N <sub>5</sub> , 97-98%) CP >90% |
| CNLM-6221-CA | 2'-Deoxyguanosine 5'-triphosphate, ammonium salt (U- <sup>13</sup> C, 98%; U- <sup>15</sup> N, 96-98%) CP >90%          |
| CNLM-8771-CA | 2'-Deoxyuridine-H <sub>2</sub> O ( <sup>13</sup> C <sub>9</sub> , 98-99%; <sup>15</sup> N <sub>2</sub> , 98-99%)        |
| NLM-3798     | Guanosine (U- <sup>15</sup> N <sub>5</sub> , 96-98%)  |
| CNLM-3808-CA | Guanosine•H <sub>2</sub> O (U- <sup>13</sup> C <sub>10</sub> , 98%; U- <sup>15</sup> N <sub>5</sub> , 96-98%)           |
| NLM-4268-CA  | Guanosine 5'-triphosphate, ammonium salt ( <sup>15</sup> N <sub>5</sub> , 98-99%) CP >90% (in solution)                 |
| CNLM-4269-CA | Guanosine 5'-triphosphate, ammonium salt (U- <sup>13</sup> C; U- <sup>15</sup> N, 98-99%); CP >90% (in solution)        |
| NLM-4264     | Inosine (U- <sup>15</sup> N <sub>4</sub> , 95%+)  |
| NLM-8712-CA  | Inosine 5'-monophosphate, ammonium salt (U- <sup>15</sup> N <sub>4</sub> , 98-99%) CP >90% (in solution)                |
| CNLM-3902    | Thymidine (U- <sup>13</sup> C <sub>10</sub> , 98%; U- <sup>15</sup> N <sub>2</sub> , 96-98%)                            |
| NLM-637      | Uracil (1,3- <sup>15</sup> N <sub>2</sub> , 98%)  |
| CNLM-4271-CA | Uridine 5'-triphosphate, ammonium salt (U- <sup>13</sup> C; U- <sup>15</sup> N, 98-99%) CP >90% (in solution)           |
| CLM-8700-CA  | Xanthosine-5'-monophosphate, ammonium salt (U- <sup>13</sup> C <sub>10</sub> , 98%) CP >90% (in solution)               |

## Organic Acids

| Catalog No. | Description   |
|-------------|---|
| CLM-317     | Acetic acid (1- <sup>13</sup> C, 99%)   |
| CLM-318     | Acetic acid (2- <sup>13</sup> C, 99%)   |
| CLM-1159    | Acetic anhydride (1,1'- <sup>13</sup> C <sub>2</sub> , 99%)                             |
| CLM-1160    | Acetic anhydride (2,2'- <sup>13</sup> C <sub>2</sub> , 99%)                             |
| CLM-1813    | Benzoic acid (ring- <sup>13</sup> C <sub>6</sub> , 99%)                                 |
| DLM-122     | Benzoic acid (ring-D <sub>5</sub> , 98%)  |
| CLM-1339    | Bromoacetic acid (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                              |
| CLM-147     | Citric acid (2,3,4- <sup>13</sup> C <sub>3</sub> , 99%)                                 |
| CLM-9021    | Citric acid ( <sup>13</sup> C <sub>6</sub> , 99%) CP 97%                                |
| DLM-3487    | Citric acid (2,2,4,4-D <sub>4</sub> , 98%)  |
| CLM-7933    | Creatine (guanidino- <sup>13</sup> C, 99%)  |
| DLM-1302    | Creatine (methyl-D <sub>3</sub> , 98%)  |
| DLM-3653    | Creatinine (N-methyl-D <sub>3</sub> , 98%)  |
| CLM-495     | Diethyl malonate (2- <sup>13</sup> C, 99%)  |
| CLM-3603    | Diethyl malonate (1,2,3- <sup>13</sup> C <sub>3</sub> , 99%)                            |
| CLM-522     | Ethyl acetoacetate (1,3- <sup>13</sup> C <sub>2</sub> , 99%)                            |
| CLM-523     | Ethyl acetoacetate (2,4- <sup>13</sup> C <sub>2</sub> , 99%)                            |
| CLM-3297    | Ethyl acetoacetate (1,2,3,4- <sup>13</sup> C <sub>4</sub> , 99%)                        |
| CLM-1009    | Ethyl bromoacetate (1- <sup>13</sup> C, 99%)  |
| CLM-1011    | Ethyl bromoacetate (1,2- <sup>13</sup> C <sub>2</sub> , 99%)                            |
| CLM-1284    | Formic acid ( <sup>13</sup> C, 99%) (<5% H <sub>2</sub> O)                              |
| CLM-4454    | Fumaric acid (1,4- <sup>13</sup> C <sub>2</sub> , 99%)                                  |
| CLM-1529    | Fumaric acid ( <sup>13</sup> C <sub>4</sub> , 99%)                                      |
| DLM-1539    | Fumaric acid (2,3-D <sub>2</sub> , 98%)   |
| CDLM-6062   | Fumaric acid (1- <sup>13</sup> C, 99%; 2,3-D <sub>2</sub> , 98%)                        |
| CDLM-8473   | Fumaric acid (1,4- <sup>13</sup> C <sub>2</sub> , 99%; 2,3-D <sub>2</sub> , 98%)        |
| CLM-3264    | Iodoacetic acid (2- <sup>13</sup> C, 99%)   |
| CLM-2093    | α-Ketoglutaric acid, disodium salt (1- <sup>13</sup> C, 99%)                            |
| CLM-4442    | α-Ketoglutaric acid, disodium salt (1,2,3,4- <sup>13</sup> C <sub>4</sub> , 99%) CP 97% |
| CLM-2411    | α-Ketoglutaric acid (U- <sup>13</sup> C <sub>5</sub> , 99%)                             |
| DLM-1129    | Maleic acid (2,3-D <sub>2</sub> , 98%)  |
| CLM-310     | Maleic anhydride (1,4- <sup>13</sup> C <sub>2</sub> , 99%)                              |
| CLM-312     | Maleic anhydride (2,3- <sup>13</sup> C <sub>2</sub> , 99%)                              |
| CLM-6019    | Maleic anhydride ( <sup>13</sup> C <sub>4</sub> , 99%)                                  |
| CLM-6123    | Malonic acid ( <sup>13</sup> C <sub>3</sub> , 99%)                                      |
| DLM-205     | Malonic acid (D <sub>4</sub> , 98%)   |
| DLM-651     | Methyl formate (formyl-D, 99%)  |
| NLM-1048    | Orotic acid-H <sub>2</sub> O (1,3- <sup>15</sup> N <sub>2</sub> , 98%+)                 |
| CLM-3551    | Potassium phosphoenol pyruvate (2- <sup>13</sup> C, 99%)                                |
| CLM-2723    | Potassium phosphoenol pyruvate (3- <sup>13</sup> C, 99%)                                |
| CLM-3398    | Potassium phosphoenol pyruvate (2,3- <sup>13</sup> C <sub>2</sub> , 99%)                |
| CLM-646     | Propionic acid (1- <sup>13</sup> C, 99%)  |
| CLM-647     | Propionic acid ( <sup>13</sup> C <sub>3</sub> , 99%)                                    |
| DLM-1919    | Propionic acid (D <sub>5</sub> , 98%)   |
| CLM-8077    | Pyruvic acid (1- <sup>13</sup> C, 99%)  |
| CLM-8849    | Pyruvic acid (2- <sup>13</sup> C, 99%) CP 95%   |
| CLM-156     | Sodium acetate (1- <sup>13</sup> C, 99%)  |
| CLM-381     | Sodium acetate (2- <sup>13</sup> C, 99%)  |
| CLM-1256    | Sodium butyrate (1- <sup>13</sup> C, 99%)   |
| CLM-583     | Sodium formate ( <sup>13</sup> C, 99%)  |
| CLM-3706    | Sodium D-3-hydroxybutyrate (2,4- <sup>13</sup> C <sub>2</sub> , 99%)                    |
| CLM-3853    | Sodium D-3-hydroxybutyrate ( <sup>13</sup> C <sub>4</sub> , 99%) CP 97%                 |

(continued)

## Organic Acids (continued)

| Catalog No. | Description  |
|-------------|--|
| CLM-1577    | Sodium L-lactate (1- <sup>13</sup> C, 99%) 20% w/w in H <sub>2</sub> O             |
| CLM-1578    | Sodium L-lactate (3- <sup>13</sup> C, 98%) 20% w/w in H <sub>2</sub> O             |
| CLM-1579    | Sodium L-lactate ( <sup>13</sup> C <sub>3</sub> , 98%) 20% w/w in H <sub>2</sub> O |
| DLM-3317    | Sodium L-lactate (3,3,3-D <sub>3</sub> , 98%) 20% w/w in H <sub>2</sub> O          |
| CLM-771     | Sodium propionate (1- <sup>13</sup> C, 99%)  |
| CLM-1082    | Sodium pyruvate (1- <sup>13</sup> C, 99%)  |
| CLM-1580    | Sodium pyruvate (2- <sup>13</sup> C, 99%)  |
| CLM-1575    | Sodium pyruvate (3- <sup>13</sup> C, 99%)  |
| CLM-3507    | Sodium pyruvate (2,3- <sup>13</sup> C <sub>2</sub> , 99%)                          |
| CLM-2440    | Sodium pyruvate ( <sup>13</sup> C <sub>3</sub> , 99%)                              |
| CLM-1084    | Succinic acid (1,4- <sup>13</sup> C <sub>2</sub> , 99%)                            |
| CLM-1199    | Succinic acid (2,3- <sup>13</sup> C <sub>2</sub> , 99%)                            |
| CLM-1571    | Succinic acid ( <sup>13</sup> C <sub>4</sub> , 99%)                                |
| DLM-584     | Succinic acid (D <sub>4</sub> , 98%)   |
| DLM-831     | Succinic acid (D <sub>6</sub> , 98%)   |
| CDLM-7754   | Succinic acid ( <sup>13</sup> C <sub>4</sub> , 99%; 2,2,3,3-D <sub>4</sub> , 98%)  |
| CLM-6622    | Taurine (1,2- <sup>13</sup> C <sub>2</sub> , 98%)                                  |
| NLM-4472    | Taurine ( <sup>15</sup> N, 98%+)   |

## Steroids

| Catalog No. | Description  |
|-------------|--|
| DLM-8438    | Aldosterone (2,2,4,6,6,17,21,21-D <sub>8</sub> )   |
| CLM-804     | Cholesterol (3,4- <sup>13</sup> C <sub>2</sub> , 99%)                                      |
| CLM-9139    | Cholesterol (2,3,4- <sup>13</sup> C <sub>3</sub> , 99%)                                    |
| DLM-3057    | Cholesterol (25,26,26,27,27,27-D <sub>7</sub> , 98%)                                       |
| CLM-3361    | Cholesterol-3-octanoate (octanoate-1- <sup>13</sup> C, 99%)                                |
| CLM-9146    | 5- $\alpha$ -Dihydrotestosterone (2,3,4- <sup>13</sup> C <sub>3</sub> , 99%) CP 97%        |
| CLM-7936    | DL-Estradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)                       |
| CLM-9147    | Estrilol (16- $\alpha$ -Hydroxyestradiol) (2,3,4- <sup>13</sup> C <sub>3</sub> , 99%)      |
| CLM-673     | Estrone (3,4- <sup>13</sup> C <sub>2</sub> , 99%)  |
| CLM-8033    | DL-Estrone 3-methyl ether (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)          |
| CLM-8012    | DL-2-Hydroxyestradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)              |
| CLM-8016    | DL-2-Hydroxyestrone-3-methyl ether (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%) |
| CLM-8013    | DL-4-Hydroxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)                |
| CLM-8015    | DL-2-Methoxyestradiol (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)              |
| CLM-8014    | DL-2-Methoxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)                |
| CLM-8017    | DL-4-Methoxyestrone (13,14,15,16,17,18- <sup>13</sup> C <sub>6</sub> , 99%)                |
| CLM-2468    | Norethindrone (ethynyl- <sup>13</sup> C <sub>2</sub> , 99%)                                |
| CLM-457     | Progesterone (3,4- <sup>13</sup> C <sub>2</sub> , 90%)                                     |
| CLM-159     | Testosterone (3,4- <sup>13</sup> C <sub>2</sub> , 99%)                                     |
| CLM-9164    | Testosterone (2,3,4- <sup>13</sup> C <sub>3</sub> , 99%)                                   |

## Vitamins

| Catalog No. | Description  |
|-------------|--|
| DLM-9105    | 1,25-Dihydroxyvitamin D <sub>2</sub> (6,19,19-D <sub>3</sub> , 99%) CP 95%   |
| DLM-9107    | 1,25-Dihydroxyvitamin D <sub>3</sub> (6,19,19-D <sub>3</sub> , 97%) CP 95%   |
| DLM-9111    | 3- <i>epi</i> -25-Hydroxyvitamin D <sub>3</sub> (6,19,19-D <sub>3</sub> , 98%)   |
| CLM-9113    | 25-Hydroxyvitamin D <sub>2</sub> (25,26,27- <sup>13</sup> C <sub>3</sub> , 99%)  |
| DLM-9114    | 25-Hydroxyvitamin D <sub>2</sub> (6,19,19-D <sub>3</sub> , 97%)  |
| DLM-9116    | 25-Hydroxyvitamin D <sub>3</sub> (6,19,19-D <sub>3</sub> , 97%)  |
| DLM-7708    | 25-Hydroxyvitamin D <sub>3</sub> (26,26,26,27,27,27-D <sub>6</sub> , 98%)  |
| DLM-6883    | Nicotinamide (D <sub>4</sub> , 98%)  |
| DLM-9069    | Pyridoxal-HCl (methyl-D <sub>3</sub> , 98%)  |
| DLM-9119    | Pyridoxamine-2HCl (vitamin B <sub>6</sub> ) (methyl-D <sub>3</sub> , 98%)  |
| CLM-7563    | Pyridoxine-HCl (vitamin B <sub>6</sub> ) (4,5- <i>bis</i> (hydroxymethyl)- <sup>13</sup> C <sub>4</sub> , 99%)                       |
| DLM-9121    | Pyridoxine-HCl (vitamin B <sub>6</sub> ) (methyl-D <sub>3</sub> , 98%) CP 96%  |
| CLM-8870    | Vitamin A acetate (12,13,14,20- <sup>13</sup> C <sub>4</sub> , 99%)  |
| CLM-4831    | Vitamin A acetate (8,9,10,12,13,14,19,20- <sup>13</sup> C <sub>8</sub> , 99%)  |
| CLM-7277    | Vitamin A acetate (8,9,10,11,12,13,14,15,19,20- <sup>13</sup> C <sub>10</sub> , 99%)   |
| DLM-2244    | Vitamin A acetate 3-4% <i>cis</i> (10,19,19,19-D <sub>4</sub> , 96%)   |
| DLM-3828    | Vitamin A acetate 3-4% <i>cis</i> (19,19,19,20,20,20-D <sub>6</sub> , 96%)   |
| DLM-4203    | Vitamin A acetate 3-4% <i>cis</i> (10,14,19,19,19,20,20,20-D <sub>8</sub> , 90%)   |
| CLM-7667    | Vitamin B1 (thiamine chloride) (4,5,4-methyl- <sup>13</sup> C <sub>3</sub> , 99%)  |
| CNLM-8851   | Vitamin B2 (riboflavin) ( <sup>13</sup> C <sub>4</sub> , 99%; <sup>15</sup> N <sub>2</sub> , 98%) CP 97%                             |
| CNLM-7694   | Vitamin B5 (pantothenic acid, calcium salt monohydrate) ( $\beta$ -alanyl- <sup>13</sup> C <sub>3</sub> , 99%; <sup>15</sup> N, 98%) |
| CLM-7861    | Vitamin B <sub>9</sub> (folic acid) ( <sup>13</sup> C <sub>5</sub> , 95%+) contains ~10% H <sub>2</sub> O                            |
| DLM-8985    | Vitamin D <sub>2</sub> (ergocalciferol) (6,19,19-D <sub>3</sub> , 97%)   |
| CLM-7850    | Vitamin D <sub>3</sub> (cholecalciferol) ( <sup>13</sup> C <sub>2</sub> , 99%) CP 90%  |
| DLM-9126    | Vitamin E ( $\alpha$ -tocopherol) (5-methyl-D <sub>3</sub> , 7-methyl-D <sub>3</sub> , 98%)  |
| DLM-8847    | Vitamin E acetate (tocopherol acetate) (acetyl-D <sub>3</sub> , 98%)   |
| DLM-9128    | Vitamin H (biotin) (2',2',3',3',4',4',5',5'-D <sub>8</sub> , 99%)  |
| DLM-7702    | Vitamin K <sub>1</sub> (phyloquinone) (ring-D <sub>4</sub> , 98%)  |
| DLM-9130    | Vitamin K <sub>1</sub> (phyloquinone) (D <sub>7</sub> , 99%) CP 97%  |
| DLM-9132    | Vitamin K <sub>3</sub> (menadione) (D <sub>8</sub> , 98%) CP 97%   |

## Other

| Catalog No. | Description  |
|-------------|--|
| CLM-173     | Acetaldehyde (1,2- <sup>13</sup> C <sub>2</sub> , 99%) |
| NLM-467     | Ammonium chloride ( <sup>15</sup> N, 99%)              |
| NLM-713     | Ammonium sulfate ( <sup>15</sup> N <sub>2</sub> , 99%) |
| DLM-4       | Deuterium oxide (D, 99.9%)                             |
| CLM-359     | Methanol ( <sup>13</sup> C, 99%)                       |
| DLM-4779    | Trimethylamine <i>N</i> -oxide (D <sub>9</sub> , 98%)  |

Additional labeled and  
unlabeled standards are available.  
Please visit  
**isotope.com**  
for a complete listing.

### Questions, comments, suggestions?

As always, we appreciate your feedback and **truly value our interactions with you**. This is how we learn to better serve you. Please **contact us** with any questions, comments or suggestions. We are always interested to hear about your new research methods utilizing stable isotopes.

Direct Contact:

**Krista Backiel**

Metabolomics Product Manager

P: 1.800.322.1174 or 978.749.8000 x1926

E: [kristab@isotope.com](mailto:kristab@isotope.com)

or contact us at  
[cilsales@isotope.com](mailto:cilsales@isotope.com)



Research products are distributed and sold worldwide via our extensive network.

To request a quotation or place an order, please contact CIL Sales at  
email: [cilsales@isotope.com](mailto:cilsales@isotope.com)  
telephone: 1.978.749.8000  
1.800.322.1174 (North America only)  
or visit [isotope.com](http://isotope.com)

### For our international customers

Please contact CIL International Sales at  
email: [intlsales@isotope.com](mailto:intlsales@isotope.com)  
telephone: +1.978.749.8000  
CIL's distributor listing is available at [isotope.com](http://isotope.com)

